

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer
Display:	10 Documents in Display Format: TI Starting with Number 1
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Friday, June 11, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L11</u>	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	4	<u>L11</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L10</u>	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	38	<u>L10</u>
<u>L9</u>	server with (at the time or upon) with receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	38	<u>L9</u>
<u>L8</u>	server with (at the time or upon) withreceiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	0	<u>L8</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L7</u>	L5 same printer	8	<u>L7</u>
<u>L6</u>	L5 same printer same status	0	<u>L6</u>
<u>L5</u>	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414	<u>L5</u>
<u>L4</u>	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same	414	<u>L4</u>

	(send\$3 or transmit\$4 or requesting)		
<u>L3</u>	receiv\$3 near5 request near5 (client or user) same server near5 (send\$3 or transmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 printer	3	<u>L3</u>
<u>L2</u>	l1 same status	8	<u>L2</u>
<u>L1</u>	receiv\$3 near5 request near5 (client or device or user) same server near5 (send\$3 or trnasmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 (printer or device)	120	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L25 and l17 <div style="float: right; text-align: center;"> <input type="button" value="↑"/> <input type="button" value="↓"/> </div>
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Friday, June 11, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L26</u>	L25 and l17	15	<u>L26</u>
<u>L25</u>	709/224.ccls.	3052	<u>L25</u>
<u>L24</u>	709/223.ccls.	2836	<u>L24</u>
<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L23</u>	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	4	<u>L23</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L22</u>	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	38	<u>L22</u>
<u>L21</u>	server with (at the time or upon) with receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	38	<u>L21</u>
<u>L20</u>	server with (at the time or upon) withreceiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	0	<u>L20</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	L17 same printer	8	<u>L19</u>

<u>L18</u>	L17 same printer same status	0	<u>L18</u>
<u>L17</u>	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414	<u>L17</u>
<u>L16</u>	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414	<u>L16</u>
<u>L15</u>	receiv\$3 near5 request near5 (client or user) same server near5 (send\$3 or transmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 printer	3	<u>L15</u>
<u>L14</u>	L13 same status	8	<u>L14</u>
<u>L13</u>	receiv\$3 near5 request near5 (client or device or user) same server near5 (send\$3 or trnasmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 (printer or device)	120	<u>L13</u>
<u>L12</u>	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	12	<u>L12</u>
<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L11</u>	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	4	<u>L11</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L10</u>	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	38	<u>L10</u>
<u>L9</u>	server with (at the time or upon) with receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	38	<u>L9</u>
<u>L8</u>	server with (at the time or upon) withreceiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	0	<u>L8</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L7</u>	L5 same printer	8	<u>L7</u>
<u>L6</u>	L5 same printer same status	0	<u>L6</u>
<u>L5</u>	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414	<u>L5</u>
<u>L4</u>	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414	<u>L4</u>
<u>L3</u>	receiv\$3 near5 request near5 (client or user) same server near5 (send\$3 or transmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 printer	3	<u>L3</u>
<u>L2</u>	l1 same status	8	<u>L2</u>
<u>L1</u>	receiv\$3 near5 request near5 (client or device or user) same server near5 (send\$3 or trnasmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 (printer or device)	120	<u>L1</u>

END OF SEARCH HISTORY

WEST Search History

DATE: Friday, June 11, 2004

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L26	L25 and l17	15
<input type="checkbox"/>	L25	709/224.ccls.	3052
<input type="checkbox"/>	L24	709/223.ccls.	2836
	<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L23	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	4
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L22	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	38
<input type="checkbox"/>	L21	server with (at the time or upon) with receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	38
<input type="checkbox"/>	L20	server with (at the time or upon) withreceiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	0
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L19	L17 same printer	8
<input type="checkbox"/>	L18	L17 same printer same status	0
<input type="checkbox"/>	L17	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414
<input type="checkbox"/>	L16	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414
<input type="checkbox"/>	L15	receiv\$3 near5 request near5 (client or user) same server near5 (send\$3 or transmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 printer	3
<input type="checkbox"/>	L14	L13 same status	8
<input type="checkbox"/>	L13	receiv\$3 near5 request near5 (client or device or user) same server near5 (send\$3 or trnasmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 (printer or device)	120
<input type="checkbox"/>	L12	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	12
	<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L11	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	4
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L10	server with (at the time or upon) with receiv\$3 near5 (inquiry or request) same (send\$3 or transmit\$4) same printer	38

<input type="checkbox"/>	L9	server with (at the time or upon) with receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	38
<input type="checkbox"/>	L8	server with (at the time or upon) withreceiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting) same printer	0
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L7	L5 same printer	8
<input type="checkbox"/>	L6	L5 same printer same status	0
<input type="checkbox"/>	L5	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414
<input type="checkbox"/>	L4	server with (at the time or upon) near5 receiv\$3 near5 request\$3 same (send\$3 or transmit\$4 or requesting)	414
<input type="checkbox"/>	L3	receiv\$3 near5 request near5 (client or user) same server near5 (send\$3 or transmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 printer	3
<input type="checkbox"/>	L2	l1 same status	8
<input type="checkbox"/>	L1	receiv\$3 near5 request near5 (client or device or user) same server near5 (send\$3 or trnasmit\$4 or obtain\$3 or retriev\$3 or requesting) near5 (printer or device)	120

END OF SEARCH HISTORY